L Number	Hits	Search Text	DB	Time stamp
3	2	6535038.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 14:38
-	2040	(select$3 selectively adjust$5 programmable) near5 length near5 (delay skew$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:57
-	35	((select$3 selectively adjust$5 programmable) near5 length near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:25
-	65718	(select$3 selectively adjust$5 programmable) near5 (delay skew$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:10
-	2508	((select$3 selectively adjust$5 programmable) near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:10
-	105	(((select$3 selectively adjust$5 programmable) near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))) same length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:24
-	71	((((select$3 selectively adjust$5 programmable) near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))) same length) not (((select$3 selectively adjust$5 programmable) near5 length near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:11
-	13	("5485490" | "5642386" | "5646968" | "5910740" | "5990968" | "6085345" | "6100733" | "6111446" | "6125157" | "6166572" | "6172937" | "6178212" | "6201423").PN.	USPAT	2004/10/13 08:17
-	233	(((select$3 selectively adjust$5 programmable) near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))) same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:25
-	79	((select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:59
-	9	("4330751" | "4675562" | "4922141" | "5103441" | "5118975" | "5204559" | "5204564" | "5210450" | "5287025").PN.	USPAT	2004/10/14 07:57
-	2605	(select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:22
-	2179153	((select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)) same long$3 or short$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:04

C:\APPS\east\workspaces\09904814 - adjust line length in PLL ckt.wsp

-	397	((select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)) same (long$3 or short$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:04
-	246	((select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)) same ((long$3 or short$3) near5 (path or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:04
-	81	(((select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)) same (long$3 or short$3)) and g06f$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:05
-	102	(((select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)) same (long$3 or short$3)) and (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:07
-	12	(((select$3 selectively adjust$5 programmable) near5 path near5 (delay skew$3)) same (long$3 or short$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:40
-	762	(select$3 selectively adjust$5 programmable) near5 analog$2 near5 (delay skew$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:32
-	41	((select$3 selectively adjust$5 programmable) near5 analog$2 near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:33
-	2042	(select$3 selectively adjust$5 programmable) near5 length near5 (delay skew$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:32
-	35	((select$3 selectively adjust$5 programmable) near5 length near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:38
-	1381	phase same ((read near8 write) near8 clock$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:39
-	205	((select$3 selectively adjust$5 programmable) near8 phase) same ((read near8 write) near8 clock$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:40
-	60	(((select$3 selectively adjust$5 programmable) near8 phase) same ((read near8 write) near8 clock$1)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:40

-	3	((select$3 selectively adjust$5 programmable) near5 plurality near5 (path$1 or length$1) near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:46
-	28	delay and trujillo.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:48
-	26	(((select$3 selectively adjust$5 programmable) near5 feedback near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))) and g06f$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 08:59
-	6	5657457.URPN.	USPAT	2004/10/14 09:26
-	166	((select$3 selectively adjust$5 programmable) near5 feedback near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:33
-	140	(((select$3 selectively adjust$5 programmable) near5 feedback near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))) not (((((select$3 selectively adjust$5 programmable) near5 feedback near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1)) and g06f$.ipc.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:26
-	214	((select$3 selectively adjust$5 programmable variable) near5 feedback near5 (delay skew$3)) same (PLL DLL ((phase delay) adj1 lock$3 adj1 loop$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:57
-	1	"6441662".PN.	USPAT	2004/10/14 10:42
-	9	("4519024" | "4922404" | "5179512" | "5818704" | "5870299" | "5940287" | "5999420" | "6026005" | "6239994").PN.	USPAT	2004/10/14 11:05
-	2	6366150.URPN.	USPAT	2004/10/14 11:12
-	3	6356122.URPN.	USPAT	2004/10/14 11:14
-	19	("5068628" | "5465076" | "5489864" | "5646564" | "5712884" | "5796673" | "5963074" | "5969553" | "6043717" | "6052011" | "6104223" | "6125157" | "6151356" | "6184753" | "6194930" | "6292040" | "6356122" | "6501309" | "6625242").PN.	USPAT	2004/10/14 11:15
-	1	6278641.URPN.	USPAT	2004/10/14 11:23
-	2	("5801566" | "6081462").PN.	USPAT	2004/10/14 11:23
-	62	(thuan near2 du).xa. and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:56
-	169	327/149.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:46
-	2	("4309649" | "4495473").PN.	USPAT	2004/10/15 11:40
-	8	6137327.URPN.	USPAT	2004/10/15 11:53
-	6721	signal near5 path near5 delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:57
-	6079212	(signal near5 path near5 delay) near "10" (select$3 selectively adjust$5 programmable variable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:58

-	1337	(signal near5 path near5 delay) near10 (select$3 selectively adjust$5 programmable variable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:33
-	71	((signal near5 path near5 delay) near10 (select$3 selectively adjust$5 programmable variable)) same (delay near8 length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:59
-	14	(((signal near5 path near5 delay) near10 (select$3 selectively adjust$5 programmable variable)) same (delay near8 length)) not (((signal near5 path near5 delay) near10 (select$3 selectively adjust$5 programmable variable)) near10 length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:59
-	68	((signal near5 path near5 delay) near10 (select$3 selectively adjust$5 programmable variable)) near10 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:12
-	1197	327/156.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:33
-	45	327/156.ccls. and (path near10 (select$3 selectively adjust$5 programmable variable) same delay)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:37
-	41	clock near3 tree near10 (different near5 delay$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:39
-	1277	select$3 near5 (different near5 delay$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:40
-	6	(select$3 near5 (different near5 delay$1)) same (path near5 length$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:40
-	111	match$3 near8 delay near8 capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 09:56
-	7	("5124669" | "5223755" | "5787096" | "5920518" | "5946244" | "6069506" | "6194930").PN.	USPAT	2004/10/18 08:24
-	2444	365/194	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 09:56
-	379	365/194.ccls. and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 09:58

C:\APPS\east\workspaces\09904814 - adjust line length in PLL ckt.wsp

-	133	365/194.ccls. and (length near5 delay$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:16
-	2	5,614,855.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:00
-	568	365/194.ccls. and (select$8 near8 delay$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:16
-	15	365/194.ccls. and ((select$8 near8 delay$3) same (pll or (phase adj2 lock$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:36
-	1398	365/194.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:36
-	13	365/194.ccls. and (((adjust$3 programmable) near8 delay$3) same (pll or (phase adj2 lock$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:37
-	2	6253333.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 08:09
-	2	6253333.URPN.	USPAT	2004/10/19 08:09
-	6	("5063576" | "5426772" | "5917760" | "5946712" | "5953284" | "5978929").PN.	USPAT	2004/10/19 08:11
-	2	6253333.URPN.	USPAT	2004/10/25 16:32
-	6	("5063576" | "5426772" | "5917760" | "5946712" | "5953284" | "5978929").PN.	USPAT	2004/10/25 16:33
-	34	bogumil.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 16:39
-	224	(packet near3 data with (time adj1 stamp or timestamp)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:03
-	82	motherboard same (north near2 bridge) same (south near2 bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:09
-	0	(motherboard same (north near2 bridge) same (south near2 bridge)) and (host adj1 clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:10

C:\APPS\east\workspaces\09904814 - adjust line length in PLL ckt.wsp

-	810	(north near2 bridge) same (south near2 bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:42
-	2	((north near2 bridge) same (south near2 bridge)) same (host adj1 clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:42
-	6	751651.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:32
-	2	6687814.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:33
-	214	(north$2bridge) same (south$2bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:42
-	0	((north$2bridge) same (south$2bridge)) same (host adj1 clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:42
-	97	((north near2 bridge) same (south near2 bridge)) same (clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:00
-	2	5940858.URPN.	USPAT	2004/10/26 08:45
-	10	5991833.URPN.	USPAT	2004/10/26 08:46
-	15	("5317720" | "5625824" | "5732226" | "5761725" | "5822549" | "5828856" | "5872936" | "5878235" | "5914730" | "5930486" | "5956493" | "5991833" | "6047349" | "6098136" | "6128688").PN.	USPAT	2004/10/26 08:46
-	16	("4393477" | "4616346" | "4716551" | "4901283" | "5262998" | "5278796" | "5313428" | "5321662" | "5379400" | "5465367" | "5495452" | "5680359" | "5784328" | "5801982" | "5808952" | "5828619").PN.	USPAT	2004/10/26 08:52
-	39	atkinson.in. and compaq.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 08:55
-	14	6134167.URPN.	USPAT	2004/10/26 08:56
-	18193	memory near2 control$4 same (clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:01
-	18193	(memory near2 control$4) same (clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:01

C:\APPS\east\workspaces\09904814 - adjust line length in PLL ckt.wsp

-	1952	((memory near2 control$4) same (clock)) same delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:07
-	164	((memory near2 control$4) same (clock)) same (select$4 near5 delay$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:03
-	578	((memory near2 control$4) same (clock)) same (pll or (phase adj1 lock$3 adj1 loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:08
-	48	(((memory near2 control$4) same (clock)) same (pll or (phase adj1 lock$3 adj1 loop))) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:36
-	6	("5063576" | "5426772" | "5917760" | "5946712" | "5953284" | "5978929").PN.	USPAT	2004/10/26 09:37
-	159	physical near3 length near5 delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:37
-	2714	(physical or line) near3 length near5 delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:38
-	170	((physical or line) near3 length near5 delay) with clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:38
-	26	(((physical or line) near3 length near5 delay) with clock) and g06f$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:42
-	732	propagation adj1 delay near5 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:42
-	132	(propagation adj1 delay near5 length) and g06f$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:46
-	8	("5394024" | "5557779" | "5578938" | "5600568" | "5767720" | "5923570" | "6266803" | "6425114" | "2002/0073389").PN.	USPAT	2004/10/26 09:44
-	109256	select$7 near5 length$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:47
-	55028	(adjust$3 chang$3 modify$3) near5 (skew$1 or delay$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:48

C:\APPS\east\workspaces\09904814 - adjust line length in PLL ckt.wsp

-	155	(select$7 near5 length$1) same ((adjust$3 chang$3 modify$3) near5 (skew$1 or delay$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:10
-	7	("4714924" | "5043596" | "5087829" | "5426644" | "5451894" | "5621774" | "6078623").PN.	USPAT	2004/10/26 10:05
-	419	delay near5 parasitic adj1 capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:27
-	45	(delay near5 parasitic adj1 capacitance) same (memory sdram$1 dram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:52
-	12	sdram same (parasitic adj1 capacitance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:28
-	65	(delay near5 parasitic adj1 capacitance) and (memory sdram$1 dram).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:30
-	374	713/503.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 14:18
-	158	713/503.ccls. and length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:59
-	36	713/503.ccls. and (length near5 delay)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:02
-	4	713/503.ccls. and (select near5 path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:13
-	22	713/503.ccls. and (select$3 near5 path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:50
-	177	(clock adj1 tree) same (PLL or (phase adj1 lock$3 adj1 loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:02
-	70	fuse near6 valid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:03

C:\APPS\east\workspaces\09904814 - adjust line length in PLL ckt.wsp

-	302	fuse near6 (valid or verif$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:04
-	40	fuse near6 (valid or verif$7) near8 voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:04
-	41	fuse near6 (valid$7 or verif$7) near8 voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:04
-	396	713/401.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 14:18
-	2	5513135.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 07:13
-	17	determin$3 near5 number near5 (dimm or (dual adj1 inline adj1 memory adj1 module$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 09:51
-	133	determin$3 near5 number near5 (dimm or (memory near3 module$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 09:52
-	116	(determin$3 near5 number near5 (dimm or (memory near3 module$1))) not (determin$3 near5 number near5 (dimm or (dual adj1 inline adj1 memory adj1 module$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 09:52
-	2	6496911.URPN.	USPAT	2004/10/27 10:24
-	5	("5625580" | "5727182" | "5752066" | "5768584" | "6067650").PN.	USPAT	2004/10/27 10:27

C:\APPS\east\workspaces\09904814 - adjust line length in PLL ckt.wsp